

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

1. (Currently Amended) A recording apparatus comprising:

extraction means for extracting an image from a unit in which a moving

image is encoded, the unit including a constant number of images;

reduction means for reducing the amount of information of the extracted image;

encoding means for encoding the image whose amount of information is reduced by a predetermined encoding scheme;

association means for associating the encoded image with the unit from which the image is extracted by the extraction means; and

recording control means for controlling recording of the image associated with the unit onto a data recording medium for recording the moving image,

wherein the recording control means:

controls recording of the moving image onto the data

recording medium such that the moving image in a

predetermined time for playback is recorded in a first

contiguous area of the data recording medium; and

controls recording of the encoded image onto the data

recording medium such that the encoded image is

recorded in a second contiguous area of the data

recording medium when the amount of data of the

encoded image exceeds a predetermined threshold if
the recording of the moving image in the first area of
the data recording medium is ended.

2. (Previously Presented) The recording apparatus according to claim 1, wherein the association means is a track associated with a track of the moving image and associates the encoded image with the unit by arranging the encoded image in a track in a predetermined file format.
3. (Previously Presented) The recording apparatus according to claim 1, wherein the association means associates the encoded image with the unit by associating a range of time for playback of the unit of the moving image with the encoded image.
4. (Cancelled)
5. (Previously Presented) The recording apparatus according to claim 1, wherein the encoding means encodes the image by a compression and encoding scheme for a static image.
6. (Previously Presented) The recording apparatus according to claim 1, wherein the encoding means encodes the image by a compression and encoding scheme for a moving image such that decoding is possible only with the image.

7. (Previously Presented) The recording apparatus according to claim 1, wherein the reduction means reduces the amount of information of the image by thinning out pixels of the image.
8. (Previously Presented) The recording apparatus according to claim 1, wherein the reduction means reduces the amount of information of the image by removing a high-frequency component of the image.
9. (Currently Amended) A recording method comprising:
 - an extraction step of extracting an image from a unit in which a moving image is encoded, the unit including a constant number of images;
 - a reduction step of reducing the amount of information of the extracted image;
 - an encoding step of encoding the image whose amount of information is reduced by a predetermined encoding scheme;
 - an association step of associating the encoded image with the unit from which the image is extracted in the extraction step; and
 - a recording control step of controlling recording of the image associated with the unit onto a data recording medium for recording the moving image,

wherein the recording control step comprising:

 - controlling recording of the moving image onto the data
 - recording medium such that the moving image in a
 - predetermined time for playback is recorded in a first
 - contiguous area of the data recording medium; and

controlling recording of the encoded image onto the data recording medium such that the encoded image is recorded in a second contiguous area of the data recording medium when the amount of data of the encoded image exceeds a predetermined threshold if the recording of the moving image in the first area of the data recording medium is ended.

10. (Currently Amended) A recording medium storing a program causing a computer to perform recording processing comprising:

an extraction step of extracting an image from a unit in which a moving

image is encoded, the unit including a constant number of images;

a reduction step of reducing the amount of information of the extracted image;

an encoding step of encoding the image whose amount of information is reduced by a predetermined encoding scheme;

an association step of associating the encoded image with the unit from which the image is extracted in the extraction step; and

a recording control step of controlling recording of the image associated with the unit onto a data recording medium for recording the moving image,

wherein the recording control step comprising:

controlling recording of the moving image onto the data

recording medium such that the moving image in a

predetermined time for playback is recorded in a first

contiguous area of the data recording medium; and

controlling recording of the encoded image onto the data
recording medium such that the encoded image is
recorded in a second contiguous area of the data
recording medium when the amount of data of the
encoded image exceeds a predetermined threshold if
the recording of the moving image in the first area of
the data recording medium is ended.

11. (Currently Amended) A computer readable medium encoded with a computer
program loadable into a memory of a computer and including software code
portions for performing a causing a computer to perform recording processing
process comprising:

an extraction step of extracting an image from a unit in which a moving
image is encoded, the unit including a constant number of images;

a reduction step of reducing the amount of information of the extracted
image;

an encoding step of encoding the image whose amount of information is
reduced by a predetermined encoding scheme;

an association step of associating the encoded image with the unit from
which the image is extracted in the extraction step; and

a recording control step of controlling recording of the image associated
with the unit onto a data recording medium for recording the moving
image,

wherein the recording control step comprising:

controlling recording of the moving image onto the data
recording medium such that the moving image in a

predetermined time for playback is recorded in a first contiguous area of the data recording medium; and controlling recording of the encoded image onto the data recording medium such that the encoded image is recorded in a second contiguous area of the data recording medium when the amount of data of the encoded image exceeds a predetermined threshold if the recording of the moving image in the first area of the data recording medium is ended.

12. (Currently Amended) A playback apparatus comprising:

reading control means for controlling reading an image from a data recording medium recording a moving image and the image, the image being extracted from a unit in which the moving image is encoded, the unit including a constant number of images, the amount of information of the image being reduced, the image being encoded by a predetermined encoding scheme, the image being associated with each unit, the moving image being recorded onto the data recording medium such that the moving image in a predetermined time for playback is recorded in a first contiguous area of the data recording medium, the encoded image being recorded onto the data recording medium such that the encoded image is recorded in a second contiguous area of the data recording medium when the amount of data of the encoded image exceeds a predetermined threshold if the recording of the moving image in the first area of the data recording medium is ended, and

the reading being based on an instruction from a user and a
relationship with the unit of the moving image;
decoding means for decoding the read out image; and
display control means for controlling display of the decoded image.

13. (Previously Presented) The playback apparatus according to claim 12, wherein the reading control means controls reading the image from the data recording medium so as to read only the image if the user directs a fast-forward operation or a rewind operation.
14. (Previously Presented) The playback apparatus according to claim 12, wherein the decoding means decodes the image encoded by a compression and encoding scheme for a static image.
15. (Previously Presented) The playback apparatus according to claim 12, wherein the decoding means decodes the image encoded by a compression and encoding scheme for the moving image such that decoding is possible only with the image.
16. (Currently Amended) A playback method comprising:
a reading control step of controlling reading an image from a data recording medium recording a moving image and the image, the image being extracted from a unit in which the moving image is encoded, the unit including a constant number of images, the amount of information of the image being reduced, the image being encoded by a predetermined encoding scheme, the image being

associated with each unit, the moving image being recorded onto the data recording medium such that the moving image in a predetermined time for playback is recorded in a first contiguous area of the data recording medium, the encoded image being recorded onto the data recording medium such that the encoded image is recorded in a second contiguous area of the data recording medium when the amount of data of the encoded image exceeds a predetermined threshold if the recording of the moving image in the first area of the data recording medium is ended, and the reading being based on an instruction from a user and a relationship with the unit;

a decoding step of decoding the read out image; and

a display control step of controlling display of the decoded image.

17. (Currently Amended) A recording medium storing a program causing a computer to perform playback processing comprising:

a reading control step of controlling reading an image from a data recording medium recording a moving image and the image, the image being extracted from a unit in which the moving image is encoded, the unit including a constant number of images, the amount of information of the image being reduced, the image being encoded by a predetermined encoding scheme, the image being associated with each unit, the moving image being recorded onto the data recording medium such that the moving image in a predetermined time for playback is recorded in a first contiguous area of the data recording medium, the encoded image being

recorded onto the data recording medium such that the encoded image is recorded in a second contiguous area of the data recording medium when the amount of data of the encoded image exceeds a predetermined threshold if the recording of the moving image in the first area of the data recording medium is ended, and the reading being based on an instruction from a user and a relationship with the unit;

a decoding step of decoding the read out image; and

a display control step of controlling display of the decoded image.

18. (Currently Amended) A computer readable medium encoded with a computer program loadable into a memory of a computer and including software code portions for performing a ~~causing a computer to perform~~ playback processing process comprising:

a reading control step of controlling reading an image from a data recording medium recording a moving image and the image, the image being extracted from a unit in which the moving image is encoded, the unit including a constant number of images, the amount of information of the image being reduced, the image being encoded by a predetermined encoding scheme, the image being associated with each unit, the moving image being recorded onto the data recording medium such that the moving image in a predetermined time for playback is recorded in a first contiguous area of the data recording medium, the encoded image being recorded onto the data recording medium such that the encoded image is recorded in a second contiguous area of the data

recording medium when the amount of data of the encoded image exceeds a predetermined threshold if the recording of the moving image in the first area of the data recording medium is ended, and
the reading being based on an instruction from a user and a relationship with the unit;

a decoding step of decoding the read out image; and

a display control step of controlling display of the decoded image.